

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : DR-470

Stream : East Branch Stony Run

Applicant : Lake County Drainage Board
Dan Gossman
2293 North Main Street
Crown Point, IN 46307-1854

Description : In general, Stony Run East Branch will be excavated back down to its original elevation. The proposed maintenance to Stony Run East Branch will not increase the drainage capacity beyond the original design or expand the area drained by the regulated drain as originally designed. Maintenance required includes removal of accumulations of logs, root wads, trees in danger of falling into the regulated drain or obstructing the flow, and other debris that spans the waterway using hand operated and/or heavy equipment, dipping, dredging, and/or removing sediment from the channel bottom with a bucket, installation of two in-channel sediment basins approximately 80 feet long and 3 feet deep; slope repair, and riprap bank protection in areas of erosion, mimicking the natural slope of the channel bank. All work will be performed from one side of the channel. No spoil material will be placed in the wetlands. Drag line mats will be used beneath heavy equipment in wetland areas. All wetland areas will be identified and marked on plans. Silt fence will be placed along the ditch side of spoil piles. Disturbed areas and spoil piles will be seeded and mulched. Details of the project are contained in information received electronically at the Division of Water on November 5, 2007 and in plans and information received at the Division of Water on

Location : The project is located along Stony Run East Branch between Lake Holiday and 137th Avenue
near Winfield, Winfield Township, Lake County
Section 21, T 34N, R 7W, Palmer Quadrangle
Quad Code: 4108742

Statute/Rule : "Ditch" Act, IC 14-26-5

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24400

Stream : Smith Ditch

Applicant : City of Crown Point
Bill Meeks
101 North East Street
Crown Point, IN 46307-4027

Description : Two existing 36" corrugated HDPE pipe culverts carrying Stillwater Parkway and Greenview Place over the ditch will be replaced with a new box culvert system to reduce upstream flood damages. The new crossings will consist of one 12' by 5' box centered in the channel with two 12' by 4' concrete box culverts positioned on either side. The new culverts will be skewed to align with the stream flow. Minor channel shaping will occur both downstream and upstream of the new culvert to improve the flow transition at the crossing. The reshaped areas will be stabilized with an 18" thick layer of limestone riprap placed over geo-textile fabric. The crown of the roadway over the new culverts will be at 701.2', NGVD on Stillwater Parkway and 700.2', NGVD on Greenview Place. Additionally, an unpermitted stream crossing, Crooked Creek Trail, consisting of two 36" RCP culverts with a road constructed on fill placed to a height of 8' over existing elevations will be replaced with one 12' (span) by 5' rise by 50' length concrete box culvert centered in the channel with two smaller culverts positioned on either side. The new box culverts will have side-tapered inlets. The upstream invert of the two smaller culverts will have an elevation of 696.1' (NGVD29). The larger culvert will have an upstream invert of 695.1' (NGVD29). The proposed top of the road elevation will be 704.0' (NGVD29). Minor channel shaping, confined to the construction right of way, will occur just upstream and downstream of the crossing to provide better flow transition into and out of the culvert system. The shaped areas will be lined with a layer of riprap placed over a geo-textile fabric. Details of the project are contained in information and plans received at the Division of Water on July 3, 2007 and September 27, 2007.

Location : At the Greenview Place, Stillwater Parkway, and Crooked Creek Trail stream crossings
DOWNSTREAM: near Crown Point, Center Township, Lake County
E½, E½, Section 16, T 34N, R 8W, Crown Point Quadrangle
Quad Code: 4108743
UTM Coordinates: Downstream 4583224 North, 471683 East
UPSTREAM:
UTM Coordinates: Upstream 4582444 North, 471747 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24469

Stream : Salt Creek

Applicant : NiSource
Brian Kortum
801 East 86th Avenue
Merrillville, IN 46410-6271

Description : An 8" diameter high pressure gas pipeline will be placed beneath the creek to expand gas distribution. The line will be placed by the directional bore method. It will have 15' of cover beneath the streambed and at least 5' of cover in the stream banks. The bore pits will be located outside of wetland associated with Salt Creek, but within the floodway of Salt Creek. The bore pit areas will be restored to the pre-disturbance ground contours following construction and seeded with a wet-to-mesic seed mix. Details of the project are contained in information received electronically at the Division of Water on August 28, 2007 and in plans and information received at the Division of Water on September 24, 2007.

Location : Approximately 3800' south and 3200' east of the County Road 400 North and County Road 375 East intersection
near Valparaiso, Union Township, Porter County
SW¼, NE¼, SE¼, Section 17, T 35N, R 7W, Palmer Quadrangle
Quad Code: 4108742
UTM Coordinates: Downstream 4592272 North, 489393 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24491

Stream : Clear Creek

Applicant : Christopher M Hubner
2289 West 350 South
Danville, IN 46122-8145

Description : A low water crossing measuring approximately 15' wide will be constructed across the creek to provide access to an agricultural field. The crossing will be composed of riprap placed to a depth of 12". In addition, approximately 15' of #53 gravel will be placed landward of both banks to a depth of 6". The existing grade of the streambed and banks will not be altered. Details of the project are contained in information and plans received at the Division of Water on September 17, 2007 and November 5, 2007.

Location : Approximately 1200' downstream of the County Road 575 East stream crossing near Groveland, Floyd Township, Putnam County
SE¼, NW¼, SE¼, Section 28, T 15N, R 3W, Coatesville Quadrangle
Quad Code: 3908666
UTM Coordinates: Downstream 4395260 North, 521455 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24544

Stream : Wabash River

Applicant : Melinda J. Corbin
1016 Sycamore Street
Lafayette, IN 47905-1044

Description : A 58' x 100' area will be filled in the east floodplain of Wabash River in order to create a more uniform elevation on an existing tract of land. A bottom barrier along a chain link fence is also proposed. The fill will vary in depth from approximately 6" to 38". Details of the project are contained in information and plans received at the Division of Water on October 11, 2007.

Location : 1016 Sycamore Street, approximately 600' west and 250' south of the First Street and Smith Street intersection
at Lafayette, Fairfield Township, Tippecanoe County
SE¼, SW¼, NW¼, Section 29, T 23N, R 4W, Lafayette West Quadrangle
Quad Code: 4008648
UTM Coordinates: Downstream 4473408 North, 508392 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24573

Stream : Little Calumet River

Applicant : Town of Highland
John Bach, Public Works Director
3333 Ridge Road
Highland, IN 46332-2089

Description : A road rehabilitation project is proposed. The existing pavement will be removed and replaced with full depth asphalt pavement. The project will maintain the existing horizontal alignment and will require minor changes to the vertical alignment. New curb and gutter, sidewalks, signing, pavement markings, water mains, water service lines, decorative lighting, signal modernization, and signal interconnect will be included with this project as well. Incidental construction for traffic signal interconnect will extend across the Kennedy Avenue crossing to the existing signal at the Kennedy Avenue and 77th Street intersection. Details of the project are contained in information and plans received at the Division of Water on October 25, 2007.

Location : Approximately 140' north of Highway Avenue extending 4900' north to the south approach of the Kennedy Avenue crossing
at Highland, North Township, Lake County
NW¼, SE¼, SW¼, Section 16, T 36N, R 9W, Highland Quadrangle
Quad Code: 4108754
UTM Coordinates: Downstream 4602073 North, 461520 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24578

Stream : Tippecanoe River

Applicant : DeSabatine Brothers Excavating Inc
Paul Desabatine
1935 North 200 East
Winamac, IN 46996-8664

Description : Approximately 125' of the river's eroded south (left) streambank will be stabilized with riprap over geotextile fabric to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 6', a maximum streamward projection of 2' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information and plans received at the Division of Water on October 29, 2007.

Location : Lot 23 on the south (left) river bank; approximately 3200' downstream of the State Road 14 crossing
DOWNSTREAM: near Winamac, Monroe Township, Pulaski County
NE¼, SE¼, NW¼, Section 13, T 30N, R 2W, Winamac Quadrangle
Quad Code: 4108615
UTM Coordinates: Downstream 4544512 North, 534166 East
UPSTREAM:
UTM Coordinates: Upstream 4544515 North, 534204 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24582

Stream : Little Calumet River

Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : Approximatey 5 cubic yards of fill will be placed on top of the I-80/I-94 structures crossing the river. The pavement on the exisitng east and west bound roads will be removed and replaced. In addition, both roads will be widened 12'. Details of the project are contained in information and plans received at the Division of Water on October 30, 2007.

Location : Beginning 0.2 miles east of Georgia Street and extending to 0.8 miles east of Clay Street. The total project length is 2.84 miles. The structure carrying I-80/I-94 over Little Calumet River is located 0.2 miles east of Georgia Street near Lake Station, Calumet Township, Lake County
SW¼, SW¼, SE¼, Section 15, T 36N, R 8W, Gary Quadrangle
Quad Code: 4108753
UTM Coordinates: Downstream 4601800 North, 472811 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24584

Stream : Brunk Ditch

Applicant : Greentown Main Street Association Inc
1014 Eastcrest Drive
Greentown, IN 46936-1611

Description : A 10-foot wide asphalt trail approximately 2.4 miles long will be constructed. Approximately 2900' of the proposed trail will be within the floodway of Brunk Ditch. Details of the project are contained in information and plans received at the Division of Water on August 30, 2007 and September 28, 2007.

Location : The portion of the project along Brunk Ditch begins at the wastewater treatment plant extending upstream along the south (left) stream bank to the crossing and continuing upstream along the north (right) stream bank to Meridian Street (County Road 850 East)
DOWNSTREAM: near Greentown, Liberty Township, Howard County
NW¼, SW¼, NW¼, Section 4, T 23N, R 5E, Greentown Quadrangle
Quad Code: 4008548
UTM Coordinates: Downstream 4481054 North, 586792 East
UPSTREAM: NE¼, SW¼, NE¼, Section 4

UTM Coordinates: Upstream 4480888 North, 587608 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24590

Stream : Crooked Creek

Applicant : Rockies Express Pipeline LLC
Alice Weekley
500 Dallas Street, Suite 1000
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Crooked Creek by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on November 2, 2007 and in plans and information received at the Division of Water on

Location : The pipeline will cross Crooked Creek about 1.2 miles northwest of Banta, Indiana, about 0.4 mile north of the intersection of Waverly Road and Big Ben Road, and about 400 feet north of the confluence of Crooked Creek and Banta Creek.
Near Banta, Harrison Township, Morgan County
Section 25, T 13N, R 2E, Mooresville East Quadrangle
Quad Code: 3908653

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24591

Stream : Richland Creek

Applicant : Rockies Express Pipeline LLC
Alice Weekley
500 Dallas Street, Suite 1000
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Richland Creek by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on November 2, 2007 and in plans and information received at the Division of Water on

Location : The pipeline will cross Richland Creek about 3.4 miles southeast of the center of Brookville, Indiana, about 1.3 miles north/northwest of the confluence of Richland Creek and Whitewater River, and about 0.2 mile northeast of the intersection of Holland Road and Sharps Hill Road
near Brookville, Brookville Township, Franklin County
Section 3, T 8N, R 2W, Whitcomb Quadrangle
Quad Code: 3908448

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24592

Stream : West Fork White River

Applicant : Martin Marietta Materials, Inc
Max Williams
1980 East 116th Street, Suite 200
PO Box 549
Carmel, IN 46032-3516

Description : Martin Marietta Materials, Inc. will expand the sand and gravel dredging operation at its Waverly Plant on approximately 93 acres south of the current operation. The dredging will encompass approximately 55 to 60 acres of this tract with the remaining acreage being used for berms and setbacks. Most of the area to be dredged is in the 100-year floodway. A narrow strip parallel with Old State Road 37 is outside of the floodway. A berm will be constructed along this road outside of the floodway using overburden over the sand and gravel deposit. Dredged material will be processed at the existing plant on the property north of the project area. Details of the project are contained in information received electronically at the Division of Water on November 2, 2007 and in plans and information received at the Division of Water on

Location : The project site is between the east bank of the White River and Old State Road 37 southwest of Waverly
near Waverly, Harrison Township, Morgan County
Section 23, T 13N, R 2E, Mooresville East Quadrangle
Quad Code: 3908653

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24593

Stream : West Fork White River

Applicant : Monroe County Commissioners
Bill Williams
Monroe County Courthouse, Room 323
Bloomington, IN 47404

Description : The existing Texas Ridge Road Bridge (Monroe County Bridge #164) will be rehabilitated to carry pedestrian traffic across the river. The 315' long, 16' wide, single-span Pennsylvania Through Truss bridge was built in 1903 and is listed on the National Register of Historic Sites. All bridge repair work will be confined to the present structure and no in stream channel work is proposed. The low chord and existing waterway opening will not be altered. Approximately 20' of the south road approach will be repaved to fill in potholes and other deficiencies. Minor work will occur on the abutments to repair cracked or spreading stones. A Construction in a Floodway permit (FW-23397) was previously been issued for the project, but has since expired. Details of the project are contained in information received electronically at the Division of Water on November 5, 2007 and in plans and information received at the Division of Water on

Location : Approximately 400 feet upstream from the Phillip Rogers Memorial Bridge (Texas Ridge Road)
near Gosport, Bean Blossom Township, Monroe County
NW¼, NW¼, SE¼, Section 6, T 10N, R 2W, Gosport Quadrangle
Quad Code: 3908636
UTM Coordinates: Downstream 4353720 North, 527860 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24594

Stream : Plum Run

Applicant : Clark County
Mike Moore
501 East Court Ave.
#306
Jeffersonville, IN 47130

Description : The existing three span steel pipe bridge carrying Payne-Koehler Road over Plum Run will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a single-span reinforced concrete slab bridge with a span length of 26.5'. The structure will have an out-to-out length of 28.5' and a clear roadway width of 28.5'. The abutments will have 2:1 sideslopes armored with riprap. The abutments will be skewed 25 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 0.25' above the existing approaches. The existing structure will be completely removed. The project is not federally funded. Local funds will be used for the design and construction of the new bridge. Details of the project are contained in information received electronically at the Division of Water on November 5, 2007 and in plans and information received at the Division of Water on

Location : At the intersection of Plum Run and Payne-Koehler Road
Illinois Grants 87 & 66 (85°45'54" Long., 38°21'35" Lat.)
at Sellersburg, Silver Creek Township, Clark County
T 25N, R 6E, New Albany, IN-KY Quadrangle
Quad Code: 3808537

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24596

Stream : Wabash River

Applicant : Rockies Express Pipeline LLC
Alice Weekley
500 Dallas Street, Suite 1000
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Wabash River by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on November 7, 2007 and in plans and information received at the Division of Water on

Location : The pipeline will cross the Wabash River about 2.1 miles north/northwest of the center of Montezuma, Indiana, about 2.4 miles southwest of the confluence of Sugar Creek and the Wabash River, and about 1.0 mile northwest of the intersection of CO RD 710 W and CO RD 398

near Montezuma, Helt Township, Vermillion County
Section 23, T 16N, R 9W, Dana Quadrangle
Quad Code: 3908774

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24597

Stream : Williams Creek

Applicant : Rockies Express Pipeline LLC
Alice Weekley
500 Dallas Street, Suite 1000
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Williams Creek by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on November 7, 2007 and in plans and information received at the Division of Water on

Location : The pipeline will cross Williams Creek about 2.0 miles north/northeast of the center of Rockville, Indiana, about 0.2 mile north of Rockville Lake, and about 0.6 mile east of the intersection of CORD 200 N and U.S. Highway 41

The project area is located within Section 31, Township 16N, Range 7W (in Washington Township).

near Rockville, Washington Township, Parke County
Section 31, T 16N, R 7W, Rockville Quadrangle
Quad Code: 3908772

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24604

Stream : Yellow Creek

Applicant : Concord Mall Properties LTD
Robert Thatcher
3701 S. Main Street
Elkhart, IN 46517-3106

Description : Concord Mall Properties LTD (Owner) is proposing the placement of a sign near the Concord Mall's main entrance off of Main Street (U.S. 33). Main Street is going to be widened and the former sign has been removed due to its proximity to the proposed right-of-way. The Owner has received a variance from Elkhart County to place the proposed sign 5' from the proposed right-of-way. The sign's proposed location is on the right (north) bank of the Yellow Creek in the two-stage ditch portion of the floodway. Details of the project are contained in information received electronically at the Division of Water on November 9, 2007 and in plans and information received at the Division of Water on

Location : The right (north) bank of Yellow Creek, upstream of the Main Street (U.S. 33) entrance/exit to the Concord Mall
at Elkhart, Concord Township, Elkhart County
SW¼, Section 22, T 37N, R 5E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : LM-155

Lake : Lake Michigan

Applicant : Edw C Levy Co, Inc
John Guydan, Vice President
PO Box 598
Portage, IN 46368-0598

Description : A boat loading facility for lake freighters and barges will be constructed in the waters of Lake Michigan along the western shore of the entrance channel to the Indiana Harbor and Ship Canal in East Chicago. Large armor stone will be moved from approximately 75' of the channel shoreline to allow vertical sheet steel pilings to be driven into the bed of the waterway to construct a 75 foot (alongshore) by 125 foot (offshore) sheet pile cell. The sheet pile cell will be backfilled. The moved armor stone will be reinstalled around the perimeter of the sheet pile cell. No material will be dredged or removed from the channel. Six 19-pile mooring dolphins wrapped with cable will be installed approximately 145' offshore from the top of the bank, and will be spaced 150' apart along the channel shoreline. One 42" by 18' conveyor feed hopper; one 42" by 85' transfer conveyor with conveyor supports and one 42" by 135' telescoping stacking conveyor will be installed at the location of this sheet pile cell. Details of the project are contained in information and plans received at the Division of Water on October 25, 2007.

Location : Along the western shore of the Indiana Harbor Channel
at East Chicago, North Township, Lake County
NE¼, NE¼, SW¼, Section 10, T 37N, R 9W, Whiting Quadrangle
Quad Code: 4108764
UTM Coordinates: Downstream 4613838 North, 463101 East

Statute/Rule : Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway Rule, 312 IAC 6

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20896

Lake : Steinbarger Lake

Applicant : Hollis P Hovarter
114 West Highland Street
Albion, IN 46701

Description : A 48' by 25' underwater beach will be constructed across 48' of the applicant's 96' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on October 11, 2007 and November 7, 2007.

Location : Lot 3 of Van Dynes 2nd Addition to Maplewood Park
near Rome City, Orange Township, Noble County
SE¼, SW¼, NW¼, Section 18, T 35N, R 10E, Albion Quadrangle
Quad Code: 4108544
UTM Coordinates: Downstream 4594381 North, 631888 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20899

Lake : Cedar Lake

Applicant : Thomas C Majewski
1755 Schug Road
Columbia City, IN 46725-6906

Description : A 50' by 30' underwater beach will be constructed across 50' of the applicant's frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on October 15, 2007 and October 30, 2007.

Location : 1755 East Schug Road; Lots 26 and 27 Cedar Lake Park 3rd Addition
near Columbia City, Thorncreek Township, Whitley County
SE¼, NW¼, SW¼, Section 2, T 32N, R 9E, Merriam Quadrangle
Quad Code: 4108534
UTM Coordinates: Downstream 4568250 North, 629181 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-20903
- Lake : Bass Lake
- Applicant : Andrew Reinhart
674 Vlasta Court
Valparaiso, IN 46385-8906
- Description : A concrete or steel sheet piling seawall will be constructed across 82' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing cement block seawall will be completely removed. Details of the project are contained in information and plans received at the Division of Water on October 19, 2007.
- Location : 4128 South County Road 210
near Knox, California Township, Starke County
SW $\frac{1}{4}$, NE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 7, T 32N, R 1W, Bass Lake Quadrangle
Quad Code: 4108625
UTM Coordinates: Downstream 4565425 North, 535275 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-20909
- Lake : Webster Lake
- Applicant : Dr John R Stewart
4015 Augusta Lane
Elkhart, IN 46517-3859
- Description : An existing concrete seawall will be refaced across a portion of the 21' frontage of the applicant on Webster Lake to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Also remove back wall of existing boat well and move it back 2' so the boat well will be 14' wide x 23' long dredge out boat well. Details of the project are contained in information received electronically at the Division of Water on November 7, 2007 and in plans and information received at the Division of Water on
- Location : 859 East. Willis Park. The project is located in North Webster in Willis Park in Kosciusko county on Webster Lake
at North Webster, Tippecanoe Township, Kosciusko County
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20910

Lake : Winona Lake

Applicant : Doris Kesler
1125 Country Club Lane
Warsaw, IN 46580

Description : An existing concrete seawall will be refaced across a portion of the 80' frontage of the applicant on Winona Lake to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with rerod. The refacing will have a maximum thickness of 12" inches and will be sloped on the lakeward side. A 48" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on November 7, 2007 and in plans and information received at the Division of Water on

Location : 1125 Country Club Lane
near Warsaw, Wayne Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11